

Preliminary analysis of the melanoma multimedia educational program for general practitioners on behalf of the Italian Melanoma Intergroup

Federica Zamagni,¹ Fabio Falcini,^{1,2} Serena Magi,³ Lauro Bucchi,¹ Silvia Mancini,¹ Rosa Vattiato,¹ Emanuele Crocetti,¹ Stefano Falcinelli,⁴ Claudio Feliciani,⁵ Maurizio Lombardo,⁶ Davide Melandri,⁷ Maria Antonietta Pizzichetta,^{8,9} Patrizia Re,⁴ Francesco Ricci,¹⁰ Rosanna Rita Satta,¹¹ Sara Gandini,¹² Ignazio Stanganelli^{3,5} and the FAD MelaMED Working Group*

¹Emilia-Romagna Cancer Registry, Romagna Cancer Institute, IRCCS Istituto Romagnolo per lo Studio dei Tumori Dino Amadori, Meldola; ²Cancer Prevention Unit, ASL Forlì, Forlì-Cesena; ³Skin Cancer Unit, IRCCS IRST Istituto Romagnolo per lo Studio dei Tumori Dino Amadori, Meldola; ⁴District of Ravenna, AUSL Romagna, Ravenna; ⁵Division of Dermatology, Department of Medicine and Surgery, University of Parma; ⁶Division of Dermatology, Department of Medicine and Surgery, Ospedale di Circolo e Fondazione Macchi, ASST dei Sette Laghi, Varese; ⁷Division of Dermatology Cesena/Forlì AUSL Romagna and Department of Medicine and Surgery, University of Bologna; ⁸Department of Dermatology, University of Trieste; ⁹Department of Medical Oncology, Centro di Riferimento Oncologico di Aviano (CRO) IRCCS, Aviano; ¹⁰IDI-IRCCS, Dermatological Research Hospital, Rome; ¹¹Department of Medicine, Surgery and Pharmacy, University of Sassari; ¹²Department of Experimental Oncology, IEO European Institute of Oncology IRCCS, Milan, Italy

Correspondence: Federica Zamagni, Emilia-Romagna Cancer Registry, Romagna Cancer Institute, IRCCS Istituto Romagnolo per lo Studio dei Tumori Dino Amadori, via Piero Maroncelli 40, 47014 Meldola (FC), Italy. E-mail: federica.zamagni@irst.emr.it

Key words: melanoma; multimedia; education; diagnosis; treatment.

Contributions: IS, FZ, conceived and drafted the manuscript; FZ, analyzed the data; CF, ML, SeM, FR, RRS, collected the data; LB, EC, SF, FF, SG, SiM, DM, PR, RV, revised the manuscript critically for important intellectual content. All the authors read and approved the final version to be published.

Conflict of interest: the authors declare no potential conflict of interest.

Funding: this work was partly supported thanks to the contribution of Ricerca Corrente by the Italian Ministry of Health within the research line “Genetics and environment in the development and progression of tumors and inhibitory mechanisms. Exposomics and primary and secondary prevention”.

Ethics approval and consent to participate: the study design complied with the Declaration of Helsinki ethical standards and was approved by the Ethics Committee at the Romagna Cancer Institute (ID: IRST100.37; IRST identifier codes: L4P3037, wfn.27L4). The study was approved by the Scientific Committee of the Italian Melanoma Intergroup (IMI).

Informed consent: the manuscript does not contain any individual person's data in any form.

Acknowledgments: the European Institute of Oncology, Milan, Italy, is partially supported by the Italian Ministry of Health with Ricerca Corrente and 5×1,000 funds.

Received: 28 December 2023.

Accepted: 12 January 2024.

This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0).

© Copyright: the Author(s), 2024

Licensee PAGEPress, Italy

Dermatology Reports 2024; 16:

doi:10.4081/dr.2024.9920

Publisher's note: all claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article or claim that may be made by its manufacturer is not guaranteed or endorsed by the publisher.

Abstract

According to the National Oncological Plan 2023-2027 on the importance of multidisciplinary and interactive e-learning training, the Italian Melanoma Intergroup (IMI) has developed MelaMED (Melanoma Multimedia Education), a national project for general practitioners (GPs) on the prevention and detection of cutaneous melanoma through an online platform and an online course. MelaMED enables participants to i) recognize skin lesions that require specialist dermatological assessment, ii) select patients at high risk of melanoma and iii) be informed of the diagnosis and treatment pathway of patients with melanoma. A free online platform and online course were developed and launched in June 2022. Before starting the course, enrolled participants fill out a pre-training questionnaire concerning the basic knowledge of the disease and the recognition and management of suspicious lesions. After the course, participants will fill out the same questionnaire again. The online course will end in December 2023. Here we present a preliminary analysis of the pre-training results (January 2023-July 2023). The data have been analyzed descriptively. So far, five healthcare centers have participated in the project for a total of 1320 participants. Of these, 298 compiled the pre-training questionnaire. Forty-seven percent of them were aged <40 years. Respondents were almost divided between GPs (47%) and resident GPs (48%). Among the theoretical questions, the *ABCDE* rule and *ugly duckling* sign are well known (96% and 91% of correct answers, respectively), but a lower percentage (68%) of respondents knows the *EFG* rule for the recognition of nodular melanomas and the statement of Breslow thickness (29%). Regarding the series of clinical images of pigmented skin lesions and their management, the percentages rate of accuracy varied from 33% to 87%: melanoma (5 cases) ranges from 36% to 71%, melanocytic nevi (3 cases) from 33% to 84%, whereas the percentages rate of referral for dermatological evaluation varied from 44% to 99%. Melanoma cases referred to dermatologist ranges from 67% to 99%. This preliminary analysis on pre-training questionnaire mainly showed a lack of knowledge of the two major points of melanoma diagnosis (*EFG*) and management (Breslow thickness), as well as a low rate of participants. We will compare the proportions of correct answers to the questionnaires before and after the course once available.

Introduction

The rates of cutaneous melanoma have been rising rapidly over the past few decades in fair-skinned populations over the world. It is the sixth most frequently occurring cancer (after breast, colorectal, prostate, lung, and bladder cancers) and one of the 20 most frequent causes of cancer death melanoma in EU-27 countries (<https://ecis.jrc.ec.europa.eu>, accessed 15/05/2021). In the Italian population it is the second most frequent tumor in males under 50 years of age and the third most frequent in females under 50 years of age and the net survival is >90% for both sexes also due to the introduction of target therapies and immune-checkpoint inhibitors.^{1,2}

Although the great effort for primary prevention, the global burden of cutaneous melanoma has estimated to increase to 510,000 new cases (a roughly 50% increase) and to 96,000 deaths (a 68% increase) by 2040.³ Early detection or secondary prevention significantly improves morbidity and mortality.⁴

In the clinical practice a visual evaluation to detect a suspicious skin lesion is one of the most rapid and cost-effective methods as crucial point of secondary prevention. For these reason primary care physicians, *i.e.* general practitioners (GP) are commonly the first medical triage to select suspicious lesion or identify high-risk melanoma patients for dermatological evaluation. On the contrary, they may have a pivotal role in melanoma management in populations where dermatology access gaps exist.⁵ However, literature data showed most GP do not receive a comprehensive training in melanoma diagnosis and management and educational interventions are strongly recommended.⁵⁻⁷ A recent review conducted to collect data about previously reported skin cancer interventions for GP varied widely in design, including literature-based interventions, live teaching sessions, scheduled course time (range from 5 min to 24 months). Several training courses demonstrated improvements in skin cancer knowledge and competency but only a few revealed positive clinical practice changes by biopsy review or referral analysis.⁸ The most relevant successful results with practice change involved multimedia technologies with e-learning, dermoscopy course and management according to guideline.⁸ With the rapid advancement of technology, multimedia digital education has become an essential part of modern medical community and e-learning tools are transforming knowledge and experience levels. According to the Italian Oncological Plan 2023-2027 planned by Health Ministry on the importance of multidisciplinary and interactive e-learning training, the Italian Melanoma Intergroup (IMI) has developed MelaMed (Melanoma Multimedia Education) project, a national program for GP on the prevention and detection of cutaneous

melanoma through an online platform and an online course. MelaMed enables participants to (1) recognize skin lesions that require specialist dermatological assessment, (2) select patients at high risk of melanoma and (3) be informed of the diagnosis and treatment pathway of patients with melanoma.

In Italy the effect formal training on GP was seldom evaluated,^{9,10} but a complete assessment of a multimedia educational program has never been analyzed.

Materials and Methods

The MelaMed project is ongoing. A free online platform and online course (*i.e.* FAD) were developed and launched in June 2022. A detailed and complete description of the protocol has been published in this issue of Dermatology Report.

Briefly, the protocol describes the following topics: 1) the “MelaMed Programme”, 2) the primary and secondary objectives, 3) the study design (including the topics of asynchronous e-learning course entitled “Early diagnosis and management of the therapeutic diagnostic pathway of melanoma”, a comprehensive description of the structure and chapters of the “MelaMed platform”, and the interactive function allowing the user to further explore any aspect of the e-learning course available in *switching* modality with the virtual library of the MelaMed platform), 4) a description of the phases of the study, 5) the inclusion and exclusion criteria, 6) the methodology (including pre-training and post-training questionnaires, questionnaires validation, and consent to the processing of personal data), and finally 7) statistical analysis. For this preliminary analysis before starting the course, enrolled participants fill in a pre-training questionnaire concerning the basic knowledge of the disease and the recognition and management of suspicious lesions. After the course, participants will fill out the same questionnaire again. The deadline of the online course is planned in December 2023. Here we present a first preliminary analysis of results (January 2023-July 2023). The data have been analyzed descriptively, computing numbers and percentages of the answers to each question.

The centers included in this preliminary analysis are those whose participants had already completed the pre-training questionnaire on July 31st: local health authority of Romagna, local health authority of Parma, local health authority of Varese, local health authority of Sassari and IDI-IRCCS Dermatological Research Hospital of Rome. Others healthcare centers will have been involved until the end of 2023. Raw data are accessible at the link: <https://doi.org/10.5281/zenodo.10551666>

Table 1. Characteristic of respondents, numbers and percentages by center.

Respondents	Centre, N. (%)					Total, N. (%)
	Varese	Parma	Romagna	IDI Roma	Sassari	
Enrolled	50	111	1042	33	84	1320
Age group						
<40	22 (56)	37 (54)	40 (33)	6 (60)	34 (56)	139 (47)
40-60	17 (44)	29 (43)	45 (38)	4 (40)	26 (43)	121 (41)
>60	0 (0)	2 (3)	35 (29)	0 (0)	1 (2)	38 (13)
Profession						
GP	13 (33)	24 (35)	83 (69)	2 (20)	17 (28)	139 (47)
Resident GP	26 (67)	44 (65)	23 (19)	8 (80)	43 (70)	144 (48)
Pediatrician	0 (0)	0 (0)	14 (12)	0 (0)	1 (2)	15 (5)

GP, general practitioners.

Results

So far, five IMI centers have participated in the project for a total of 1320 enrolled participants. Of these, 298 compiled the pre-training questionnaire. Table 1 shows the characteristics of total respondents. Forty-seven percent of them were aged <40 years. Respondents were almost divided between GPs (47%) and resident GPs (48%). Tables 2 and 3 show the results of the pre-training questionnaire. Among the theoretical questions, the “ABCDE” and “ugly duckling” rules are well known (96% and 91% of correct answers, respectively), but a lower percentage (68%) of respondents knows the “EFG” rule for the recognition of nodular melanomas and the statement of Breslow thickness (29%). Among the 10 images, the percentages rate of accuracy varied from 33% to 87%. Specifically in the setting of melanoma (5 cases) ranges from 36% to 71%, melanocytic nevi (3 cases) from 33% to 84%. Seborrheic keratosis (1 case) and basal cell carcinoma (1 case) were correctly diagnosed by 78% and 87% respectively. Regarding the lesions recommended to dermatological evaluation the percentages rate of referral varied from 44% to 99%. Melanoma cases referred to dermatologist ranges from 67% to 99%.

Discussion

The need to improve the ability of GP in the evaluation of atypical melanocytic skin lesions can have a great impact in the secondary prevention of melanoma. Early detection of melanoma and the appropriate surgical treatment are all-important to ensure favorable outcomes in terms of morbidity and mortality. In addition

a comprehensive understanding of the primary and secondary prevention of cutaneous melanoma and a broad overview of diagnostic and therapeutic procedures may be integrated in the community of primary-care health professionals, in particular GP.⁸

However inadequacy training for skin cancer management, variability in the identification of high risk patients, low diagnostic accuracy, unnecessary tests, inappropriate specialist referrals as well as economic, social and geographic barriers have been reported in the setting of primary-care health operators.⁵⁻⁸ Furthermore recent Italian data using a population cancer registries have suggested an overload primary care physician referral for a suspicious lesions for an increased patient presentation at dermatologic offices and have recommended a better GP triage in the referral patients.¹¹ A recent review has been highlighted the importance and the effects of educational course on skin cancer detections. The most utilized form of the educational course was the short term, in-person, “live” delivery format, whereas multimedia and/or online format allows for the better dissemination of training to a wider audience.⁸ The multimedia highly dynamic training of healthcare workers is strongly suggested, and the use of multimedia technologies to education with the widespread adoption of e-learning tools is being recommended.¹²

Furthermore, asynchronous e-learning solutions are made possible by web-based educational platforms, giving users the flexibility to finish their training at a time and method that suits them best.⁸ Brown *et al.* showed improvements in skin cancer knowledge and expertise with the best results using multimedia technologies with e-learning tools and dermoscopy course whereas poor results have been reported with short-term course without active interaction.⁸

Table 2. Number and percentage of total correct answers to theoretical multiple-choice questions.

Theoretical multiple-choice questions	Correct answers, N. (%)
Q1: Identify a risk factor for melanoma	296 (99)
Q2: Choose what is needed for a complete visual examination of the skin	275 (92)
Q3: Explain the acronym ABCDE	287 (96)
Q4: Explain the EFG rule	203 (68)
Q5: Explain what is meant by the "ugly duckling" sign	271 (91)
Q6: Choose a true statement about dermoscopy	187 (63)
Q7: Choose a true statement about Breslow thickness	87 (29)

Q, question.

Table 3. Number and percentage of total correct answers to multiple-choice diagnosis for skin tumor images and number and percentages of referrals to dermatologist.

Multiple-choice diagnosis for skin tumor images	Correct answers, N. (%)	Referrals to dermatologist, N. (%)
I1: Thin melanoma	121 (41)	278 (93)
I2: Congenital melanocytic nevus	97 (33)	219 (73)
I3: Seborrheic keratosis	232 (78)	188 (63)
I4: Nodular melanoma	212 (71)	287 (96)
I5: Thick melanoma	151 (51)	294 (99)
I6: Melanocytic nevus	249 (84)	185 (62)
I7: Congenital melanocytic nevus	232 (78)	130 (44)
I8: Melanoma with regression	173 (58)	293 (98)
I9: Malignant lentigo	108 (36)	201 (67)
I10: Basal cell carcinoma	258 (87)	295 (99)

I, image.

In Italy the effects of educational course on melanoma are scarce and focused on diagnosis of melanoma or simulators (melanocytic nevi and non-melanoma skin cancer). Carli *et al.* after training in a short-term course in a small group of participants (41 GP) showed significantly improvement of melanoma diagnostic accuracy and a reduction to benign lesions sent to dermatologists.⁹ Argenziano *et al.* conducted a long term randomized study, comparing dermoscopy *versus* naked-eye evaluation arm, and showed that the use of dermoscopy improves the ability of GP to triage lesions suggestive of skin cancer without increasing the number of unnecessary expert consultations.¹⁰

The Melanoma Multimedia Education program aims to provide physicians a global diagnostic and therapeutic multimedia tool on melanoma. This program has an interactive function allowing the user to further explore any aspect of the e-learning course with the *switching* modality of MelaMED platform. This first preliminary analysis showed a limited presence of participants (298 out of 1320 participants) in the pre-training questionnaire and forty-seven percent of them were aged <40 years. This result confirm that e-learning interventions require access to, and familiarity with, web-based educational platforms as confirmed by the limitation of the use of web-based platform among older Italian.^{13,14} Regarding the theoretical questions, a low percentage (68%) of respondents knows the “EFG” rule and have a moderate knowledge about the fatal nodular melanoma. Nodular subtypes more commonly present as thick lesions; improved diagnostic accuracy of these is therefore critical and is significantly associated with poorer diagnostic accuracy. The knowledge of Breslow thickness (29%), a crucial prognostic histopathological feature for surgical and medical therapy, has been almost neglected. Among the images, the percentage rate of accuracy ranges from 33% to 87%. The skin lesions were mainly misclassified in the spectrum of melanocytic lesions, especially in the melanoma cases, ranging from 36% to 71%. Specifically, malignant lentigo was recognized correctly by 36% and but was referred to dermatologist by 67% of respondents, whereas thick melanoma and nodular melanoma were sent to dermatological evaluation by 99% and 96% respectively. Clinical diagnosis of malignant lentigo can be challenging due to overlapping features with benign lesions such as solar lentigo, pigmented actinic keratosis, and others. Nevertheless, despite the low diagnostic accuracy of melanoma cases, a consistent part of the respondents sent the malignant lesions to dermatologist. For this reason, it is important the selection of GP to send these lesions to dermatologist to perform clinical and dermoscopic analysis.

Conclusions

The multimedia training with the use of digital tools to medical education has been increasing with the fast and growing international spreading in the teaching and e-learning processes.¹²

MelaMED program allows for providing physicians a wide diagnostic and therapeutic multimedia e-learning tool on melanoma. This first preliminary analysis showed mainly a lack of knowledge of the two major points of melanoma diagnosis (EFG) and management (Breslow thickness). In the management of pigmented skin lesions, an improvement on diagnostic accuracy can

be recommended, confirming the importance of multimedia training on melanoma management among primary healthcare area. In addition, the low rate of participants suggests the need for a better process of acquiring digital knowledge and skills among medical community. Finally, we will compare the proportions of correct answers to the questionnaires before and after the course once available, evaluating the impact of this complete multimedia educational program.

References

- Bucchi L, Mancini S, Crocetti E, et al. Mid-term trends and recent birth-cohort-dependent changes in incidence rates of cutaneous malignant melanoma in Italy. *Int J Cancer* 2021;148:835-44.
- Zamagni F, Bucchi L, Mancini S, et al. The relative contribution of the decreasing trend in tumour thickness to the 2010s increase in net survival from cutaneous malignant melanoma in Italy: a population-based investigation. *Br J Dermatol* 2022;187:52-63.
- Arnold M, Singh D, Laversanne M, et al. Global burden of cutaneous melanoma in 2020 and projections to 2040. *JAMA Dermatol* 2022;158:495-503.
- AM Forsea. Melanoma epidemiology and early detection in europe: diversity and disparities. *Dermatol Pract Concept* 2020;10:e2020033.
- Ezeonwu MC. Specialty-care access for community health clinic patients: processes and barriers. *J Multidiscip Healthc* 2018;11:109-19.
- Fleischer AB Jr, Herbert CR, Feldman SR, O'Brien F. Diagnosis of skin disease by non-dermatologists. *Am J Manag Care* 2000;6:1149-56.
- Kirsner RS, Mukherjee S, Federman DG. Skin cancer screening in primary care: prevalence and barriers. *J Am Acad Dermatol* 1999;41:564-6.
- Brown AE, Najmi M, Duke T, et al. Skin cancer education interventions for primary care providers: a scoping review. *J Gen Intern Med* 2022;37:2267-79.
- Carli P, De Giorgi V, Crocetti E, et al. Diagnostic and referral accuracy of family doctors in melanoma screening: effect of a short formal training. *Eur J Cancer Prev* 2005;14:51-5.
- Argenziano G, Puig S, Zalaudek I et al. Dermoscopy improves accuracy of primary care physicians to triage lesions suggestive of skin cancer. *J Clin Oncol* 2006;24:1877-82.
- Bucchi L, Mancini S, Zamagni F, et al. Patient presentation, skin biopsy utilization and cutaneous malignant melanoma incidence and mortality in northern Italy: trends and correlations. *J Eur Acad Dermatol Venereol* 2022 Sep 30.
- Abdulrahman MD, Faruk N, Oloyede AA, et al. Multimedia tools in the teaching and learning processes: A systematic review. *Heliyon*. 2020 Nov 2;6(11):e05312.
- Civitelli G, Tarsitani G, Rinaldi A, Marceca M. Medical education: an Italian contribution to the discussion on global health education. *Global Health*. 2020 Apr 8;16(1):30.
- Marceglia S, Balestra G, Bottrighi A, et al. Developing the Digital Healthcare Workforce in Italy: The SIBIM Experience. *Stud Health Technol Inform*. 2022 Aug 31;298:46-50.

*Working Group

The FAD MelaMED Working Group includes:

Stefania Stucci, Marco Tucci (Bari), Vincenzo De Giorgi, Daniela Massi (Firenze), Paola Ghorzo, Cesare Massone, Enrica Tanda (Genova), Francesco de Rosa, Matelda Medri (Meldola), Roberto Patuzzo (Milano), Corrado Caracò, Marco Palla (Napoli), Alessio Fabozzi (Padova), Mario Mandalà (Perugia), Riccardo Marconcini (Pisa), Paolo Fava, Elena Marra, Pietro Quaglino, Simone Ribero (Torino) for the development of educational contents; Anna Fanti, Fabiana Perrone, Rocco Tortorella (Parma), Barbara Andrea, Paolo Parente, Andrea Silenzi (Roma), Emanuela Manzato, Carlo Somenzi (Romagna), Gabriele Biondi, Chiara Musio, Giuseppe Palmieri (Sassari), Marco Paolo Donadini, Giovanna Scienza (Varese), for the organization at the local health unit level.